

Development consent

Section 4.16 of the *Environmental Planning and Assessment Act 1979*

As delegate of the Minister for Planning and Public Spaces, under delegation executed on 26 April 2021, I approve the Development Application referred to in Schedule 1, subject to the conditions in Schedule 2.

These conditions are required to:

- prevent, minimise, and/or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development.



Daniel James
Team Leader
Alpine Resorts Team
Department of Planning, Industry and Environment

Jindabyne

3 November 2021

SCHEDULE 1

Application No.:	DA No. 10666
Applicant:	Joycard Pty Ltd
Consent Authority:	Minister for Planning and Public Spaces
Land:	Apartment 4, Snowstream Apartments and Chalets, 1 Chimneys Way (Lot 558 DP 1118421), Thredbo Village, Thredbo Alpine Resort, Kosciuszko National Park
Type of Development:	Integrated Development
Integrated Bodies:	NSW Rural Fire Service
Approved Development:	External additions to an existing tourist accommodation building as outlined in Condition A.2

DEFINITIONS

Act	means the <i>Environmental Planning and Assessment Act, 1979</i> (as amended).
Alpine SEPP	means the <i>State Environmental Planning Policy (Kosciuszko National Park—Alpine Resorts) 2007</i> (as amended)
Applicant	means Joycard Pty Ltd, or any person carrying out the Development to which this consent applies.
Approval Body	has the same meaning as within Division 4.8 of Part 4 of the Act.
BCA	means the edition of the Building Code of Australia in force at the time of lodgement of an application for a construction certificate.
Certifier	has the same meaning as in Part 6 of the Act.
DA No 10666	means the development application submitted by the Applicant on 2 February 2021.
Department	means the Department of Planning, Industry and Environment, or its successors.
Development	means the development approved pursuant to this consent, as defined in Condition A.2 and as modified by the conditions of this consent.
Director	means the Director of Regional Assessments or a delegate of the Director within the Department.
Minister	means the Minister for Planning and Public Spaces, or nominee.
NPWS	means the National Parks and Wildlife Service, or its successors.
Non-compliance	means an occurrence, set of circumstances or development that is a breach of this consent.
Park	means the Kosciuszko National Park reserved under the <i>National Parks and Wildlife Act 1974</i> .
Principal Certifier	means the principal certifier and has the same meaning as Part 6 of the Act.
Regulation	means the <i>Environmental Planning and Assessment Regulation, 2000</i> (as amended).
Rehabilitation Guide	means the NPWS document entitled: <i>Rehabilitation Guidelines for the Resorts Areas of Kosciuszko National Park (2007)</i> a copy of which is available at: https://www.environment.nsw.gov.au/research-and-publications/publications-search/rehabilitation-guidelines-for-the-resort-areas-of-kosciuszko-national-park .
Secretary	means the Secretary of the Department, or nominee/delegate.
Secretary's approval, agreement or satisfaction	means a written approval from the Secretary or nominee/delegate.
Site Environmental Management Plan or SEMP	means a site environmental management plan for the Subject site, prepared by the Applicant in accordance with Condition C.3.
Stockpile Guide	means the NPWS document entitled: <i>'Soil Stockpile Guidelines for the Resort Areas of Kosciuszko National Park, October 2017'</i> , a copy of which can be obtained from the NPWS Resorts Environmental Services Team.
Subject site	has the same meaning as the land identified in Part A of this schedule.
Team Leader	means the Team Leader of the Alpine Resorts Team within the Regional Assessments division (or its successors) or a delegate of the Team Leader of the Alpine Resorts Team within the Department.

SCHEDULE 2

PART A – ADMINISTRATIVE CONDITIONS

A.1. Obligation to minimise harm to environment

In addition to meeting the specific performance measures and criteria established in this consent, all reasonable and feasible measures to prevent, and if prevention is not reasonable and feasible, minimise, any material harm to the environment that may result from the construction and operation of the development.

A.2. Development in accordance with approved documentation and plans

The development must be in accordance with:

- (a) the development application DA No. DA 10666 and supporting documentation submitted by the Applicant on 2 February 2021;
- (b) the additional information received on 3 May 2021, 17 May 2021 and 6 September 2021;
- (c) the conditions of this consent; and
- (d) the approved documents in the table below (except where modified by conditions of this consent):

Ref No.	Document	Title/Description	Author / Prepared by	Date	Document Reference
1	Statement of Environmental Effects (SEE)	Addition of deck on upper level Snowstreams Unit 4, 1 Chimneys Way, Thredbo NSW 2625	Town Planning and Design	December, 2020	23/20
2	Bushfire Assessment	Addition of deck on upper level Snowstreams Unit 4, 1 Chimneys Way, Thredbo NSW 2625	Town Planning and Design	December, 2020	23/20
3	Plan	Site Analysis	-	-	-
4	Plan	Site Layout	Cooma Steel	17 May 2021	S01 Rev. 1
5	Plan	Structural Layout	Cooma Steel	17 May 2021	S02 Rev. 1
6	Plan	Front Elevation	Cooma Steel	17 May 2021	S03 Rev. 1
7	Plan	Tread Layout	Cooma Steel	17 May 2021	S04 Rev. 1
8	Plan	Heating Element Layout	Cooma Steel	17 May 2021	S05 Rev. 1
9	Plan	Details	Cooma Steel	17 May 2021	S06 Rev. 1
10	Plan	View	Cooma Steel	17 May 2021	01 Rev. 1
11	Plan	Overview	Cooma Steel	17 May 2021	02 Rev. 1
12	Plan	Top View	Cooma Steel	17 May 2021	03 Rev. 1
13	Plan	Holding Down Bolts Plan	Cooma Steel	17 May 2021	04 Rev. 1

14	Plan	View	Cooma Steel	17 May 2021	12 Rev. 1
15	Form 4	Geotechnical Policy – Kosciuszko Alpine Resorts Form 4 – Minimal Impact Certification	Jamstone Pty Ltd	3 May 2021	-
16	Report	Geotechnical Memorandum	Jamstone Pty Ltd	1 May 2021	202111
17	Report	BCA Memorandum	J Squared Engineering Pty Ltd	31 August 2021	2207 A Final
18	Bushfire Safety Authority	s100B – SFPP – Other Tourist Accommodation 1 Chimneys Way Thredbo NSW 2625 558//DP1118421	NSW Rural Fire Service	19 April 2021	DA2021020 9000506- Original-1

A.3. Inconsistency between documents

If there is any inconsistency between the plans and documentation referred to above, the most recent document shall prevail to the extent of the inconsistency. However, conditions of this approval prevail to the extent of any inconsistency.

A.4. Lapsing of consent

This development consent will lapse five years from the date of consent, unless the building, engineering or construction work relating to the development is physically commenced on the land to which this consent applies before the date on which the consent would otherwise lapse.

A.5. Prescribed conditions

All works which are part of the Development must comply with the prescribed conditions of development consent as set out in Part 6, Division 8A of the Regulation. In particular, the Applicant's attention is drawn to:

- (a) clause 98, Compliance with Building Code of Australia;
- (b) clause 98A, Erection of signs during building and demolition works; and
- (c) clause 98E, Condition relating to shoring and adequacy of adjoining property.

A.6. Australian standards

All works which are part of the Development must be carried out in accordance with current Australian Standards.

A.7. Legal notices

Any advice or notice to the consent authority shall be served on the Secretary.

A.8. Non-Compliance notification

The Department must be notified in writing to compliance@planning.nsw.gov.au and alpineresorts@planning.nsw.gov.au within seven days after the Applicant becomes aware of any Non-compliance. The Principal Certifier must also notify the Department in writing to compliance@planning.nsw.gov.au and alpineresorts@planning.nsw.gov.au within seven days after they identify any Non-compliance.

The notification must identify the Development and the application number for it, set out the condition of consent that the Development is Non-compliant with, the way in which it does not comply and the reasons for the Non-compliance (if known) and what actions have been, or will be, undertaken to address the Non-compliance.

A Non-compliance which has been notified as an incident does not need to also be notified as a Non-compliance.

PART B – PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

B.1. Construction certificate

Work must not commence until a relevant construction certificate has been issued. Prior to the issue of the construction certificate, the certifier must be satisfied that the documentation for the construction certificate demonstrates compliance with the conditions in Part B of this consent.

If the Department is not appointed as the certifier, the Applicant must provide a copy of the construction certificate to the Department within 2 days of it being issued by the certifier.

Note: A construction certificate is required prior to commencing any physical activity involved in the erection of a building or other works associated with the Development. Some aspects of this development consent may not require a construction certificate.

B.2. Building Code of Australia compliance

The proposed works must comply with the applicable performance requirements of the BCA to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the ongoing benefit of the community. Compliance with the performance requirements can only be achieved by:

- (a) complying with the deemed to satisfy provisions; or
- (b) formulating a performance solution which:
 - (i) complies with the performance requirements;
 - (ii) is shown to be at least equivalent to the deemed to satisfy provision; or
 - (iii) a combination of (i) and (ii).

B.3. Structural drawings and design statement

Prior to the issue of the relevant construction certificate, the Applicant must submit structural drawings and a design statement, prepared and signed by an appropriately qualified practising structural engineer, to the Certifier.

B.4. Building works plan

Prior to the issue of a construction certificate, the Applicant must submit to the Certifier building work plans that demonstrates compliance with:

- (a) the relevant clauses of the BCA; and
- (b) this development consent.

B.5. Specifications

Prior to the issue of the relevant construction certificate, the Applicant must provide to the Certifier specifications for the Development:

- (a) that describe the construction and materials of which the buildings, services and infrastructure are to be built, and
- (b) that state whether the materials to be used are new or second-hand and (in the case of second-hand materials) give particulars of the materials to be used and manner of use.

B.6. Existing and proposed fire safety measures

Prior to the issue of the relevant construction certificate, the Applicant shall provide to the certifier:

- (a) a list of any existing fire safety measures provided in relation to the land or any existing building on the land, and
- (b) a list of the proposed fire safety measures to be provided in relation to the land and any building on the land as a consequence of the building work.

B.7. Accessibility – Building standards

The following instruments describe building standards relevant to promoting accessibility for persons with a disability:

- (a) the *Disability Discrimination Act 1992* (Cth);
- (b) the *Disability (Access to Premises – Buildings) Standards 2010*; and
- (c) the BCA,

(together, the ‘relevant provisions’)

Prior to the determination of any construction certificate, the Applicant must provide the Certifier with sufficient information demonstrating that the works proposed as part of the Development will achieve compliance with the relevant provisions. Where the Department is not the Certifier, a copy of the documentation incorporating the information required by this condition must be submitted to the Department with the approved construction certificate.

B.8. Design Verification

Prior to the determination of any construction certificate, the registered certifier must obtain suitable verification and evidence that the referenced separating wall adjoining the proposed balcony extension identified as being 140mm blockwork in the report by J Squared Engineering Pty Ltd (reference 17 in Condition A.2) is compliant with all relevant provisions of the BCA, Volume Two. Information relied on, is to be referenced and copies provided accompanying the construction certificate are to be submitted to the Department.

B.9. Bush fire safety authority

Prior to the issue of the relevant construction certificate, the Certifier must be satisfied that the documentation for the construction certificate demonstrates compliance with the relevant conditions of the bush fire safety authority (reference 18 in Condition A.2).

PART C – PRIOR TO THE COMMENCEMENT OF WORKS

C.1. Notification of commencement

- (a) The Applicant must notify the Department in writing, at least 48 hours prior, of the date of commencement of physical work for the Development.
- (b) If the construction of the Development is to be staged, the Applicant must notify the Department in writing at least 48 hours prior to each construction stage, the commencement date and extent of works to be carried out for the Development in that stage.

C.2. Temporary fencing

Prior to works commencing which are part of the Development, the construction works area must be fenced with temporary fencing. This fencing is to clearly delineate the construction area and shall keep the disturbance area to a minimum. This is to restrict access and also prevent unauthorised persons entering the work area.

C.3. Site environmental management plan

Prior to works commencing which are part of the Development, a SEMP must be provided to the Certifier. The plan should include details for site management, such as the following where relevant:

- (a) erosion and sedimentation control management detail;
- (b) management of native vegetation;
- (c) waste management;
- (d) noise and vibration pollution;
- (e) air pollution;
- (f) fuels and chemicals;
- (g) vehicle parking, machinery access and material storage; and
- (h) emergency procedures.

C.4. Implementation of site environmental management measures

Prior to any relevant works which are part of the Development commencing, all site environmental management measures in accordance with the approved documentation (Condition A.2) and these conditions of consent, shall be in place and in good working order.

C.5. Demolition

Demolition works for the Development must comply with Australian Standard *AS 2601-2001 The demolition of structures* (Standards Australia, 2001). The work plans required by AS 2601-2001 must be accompanied by a written statement from a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the statement of compliance must be submitted to the Principal Certifier before the commencement of works.

A copy shall be forwarded to the Department within 7 days of it being submitted to the principal certifier.

No demolition is to occur without the issue of a construction certificate.

C.6. Machinery and storage

- (a) All machinery used during construction must be cleaned prior to entry into the Park and prior to Subject site mobilisation to ensure the machinery is free of mud and vegetative propagules.

- (b) Machinery must be regularly maintained and manoeuvred to prevent the spread of exotic vegetation. Storage of machinery and material is to be restricted to the designated disturbed areas.

C.7. Pre-commencement compliance report

Prior to the commencement of works which are part of the Development, the Applicant and/or the Environmental Officer must submit to the Principal Certifier a report addressing compliance with all conditions contained in sections B and C of this consent pertaining to those works. A copy of this compliance report must be submitted to the Department within 7 days of it being submitted to the Principal Certifier.

C.8. Compliance

The Applicant must ensure that all employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the Development.

PART D – DURING CONSTRUCTION

D.1. Approved plans and documentation to be on-site

A copy of the approved plans and documentation must be kept by the Applicant on the Subject site at all times and be readily available for perusal by the Principal Certifier, any person associated with the construction works, or an officer of the Department or NPWS. Without limitation, this condition applies to the following approved documentation:

- (a) this consent and its schedule of conditions;
- (b) the approved documentation and plans (Condition A.2); and
- (c) the SEMP (Condition C.3).

D.2. Construction hours

All work in connection with the proposed Development may only be carried out between the hours of 7.00am and 6.00pm on Monday to Friday inclusive, and 7:00am to 1.00pm on Saturdays, with no work allowed on Sunday or gazetted public holidays in New South Wales, or as otherwise approved by the Secretary.

D.3. Construction period

- (a) All demolition, civil and construction works which are part of the Development may only occur in the 'summer period'. For the purposes of this condition, the summer period means the period of time commencing after the October long weekend and ending no later than 31 May the following year in each year works are required to complete the Development, or as otherwise approved by the Secretary or nominee.
- (b) By 31 May in each year works are required to complete the Development, the Applicant must ensure that the Subject site is made safe and secure by undertaking the following:
 - (i) removal of all materials, vehicles, machinery, equipment, and the like;
 - (ii) removal and/or securing of all stockpiles of soil and gravel;
 - (iii) ensuring the Subject site is fenced with para-webbing or other suitable visible protection fencing around the perimeter of the site to limit access to and from the site;
 - (iv) appropriate signage must be erected outlining that unauthorised access to the Subject site is prohibited and that the site is a construction zone;
 - (v) all external plumbing and drainage works are to be completed;
 - (vi) any excavations are to be made safe and secure;
 - (vii) stabilisation and rehabilitation works must be implemented in accordance with these conditions of consent and the approved documentation; and
 - (viii) any other specific matters related to making the Subject site safe and secure raised by the Principal Certifier or the Secretary.

D.4. Construction activities and management

At all times during the construction phase of the Development and unless agreed otherwise by the Secretary or nominee in writing, the Applicant must ensure that:

- (a) all construction activities in connection with the Development are undertaken in accordance with the approved documentation, including (without limitation) the documentation specified in paragraphs (a) to (c) inclusive of Condition D.1.
- (b) all construction activities in connection with the Development are confined to the Subject site;
- (c) no disturbance or other adverse environmental impacts occur outside the Subject site; and
- (d) all materials, stockpiles, vehicles, machinery and the like are be confined to the Subject site.

Note to Applicant: The damage or removal of any native vegetation that is not the subject of this consent requires further authorisation under the National Parks and Wildlife Act 1974 or the

Environmental Planning and Assessment Act 1979. Failure to obtain authorisation may result in compliance action under that legislation.

D.5. SafeWork NSW

The Applicant must ensure that all works which are part of the Development are carried out in accordance with current SafeWork NSW guidelines.

D.6. Site notice

The Applicant must ensure that site notice(s) are prominently displayed at the boundaries of the Subject site for the purposes of informing the public of Development details. The notice(s) is/are to satisfy all but not be limited to, the following requirements:

- (a) The notice is to be durable and weatherproof and is to be displayed throughout the construction phase of the Development.
- (b) The notice(s) must list the approved hours of work, the name of the principal contractor for the work (if any), and include a 24 hour contact phone number for any inquiries, including construction/noise complaints.
- (c) The notice(s) is/are to be mounted at eye level on the perimeter hoardings/fencing and is to state that unauthorised entry to the site is not permitted.
- (d) The name, address and phone number of the Principal Certifier is to be identified on the notice(s).

D.7. Storage of materials

During the construction phase of the Development, the Applicant must ensure that:

- (a) the Subject site environmental management measures are complied with;
- (b) no storage or disposal of materials takes place beneath the canopy of any trees or on native heath vegetation; and
- (c) all stockpiling of material is undertaken in accordance with the Stockpile Guide.

D.8. Prohibition of hazardous materials

No hazardous or toxic materials or dangerous goods may be stored or processed on the Subject site at any time unless otherwise agreed by the Secretary or nominee.

D.9. Dirt and dust control measures

- (a) The Applicant must ensure that adequate measures are taken to prevent dirt and dust from affecting the amenity or environment of the adjoining areas during the construction phase of the Development.
- (b) Without limiting paragraph (a), the Applicant must ensure that the following measures are adopted while undertaking works:
 - (i) all vehicles carrying spoil or rubble to or from the Subject site must at all times be covered to prevent the escape of dust or other material;
 - (ii) covers are to be adequately secured;
 - (iii) cleaning of footpaths must be carried out regularly;
 - (iv) roadways must be kept clean;
 - (v) gates must be closed between vehicle movements;
 - (vi) gates must be fitted with shade cloth; and
 - (vii) the Subject site is to be hosed down when there is a risk of works creating airborne dust.

D.10. Safety fencing

During the construction phase of the Development, the Applicant must ensure that the Subject site is clearly delineated to prevent access by unauthorised persons.

D.11. Noise and vibration management

Excavation and construction works must be managed in accordance with Australian Standard AS 2436-2010 *Guide to noise and vibration control on construction, demolition and maintenance sites* and to ensure there is no adverse impact on any neighbouring/affected tourist accommodation buildings during the construction phase of the Development.

D.12. Recycled Material

In undertaking works which are part of the Development, the Applicant must wherever possible, salvage building material for reuse during the construction phase of the Development (subject to Condition B.5(b) or ensure that it is sent to a recycling facility in order to reduce landfill.

D.13. Litter and building waste

Building waste must be minimised and must be contained in receptacles and covered daily, or removed from the Subject site each day, so as not to escape by wind, water or scavenging fauna. These receptacles must only be located in previously disturbed areas and not beneath the canopy or over roots of any trees. The receptacles must be cleaned regularly.

D.14. Loading and unloading of construction vehicles

All loading and unloading associated with demolition and construction work which is part of the Development must be restricted to those areas approved in the SEMP (Condition A.2) and these conditions.

D.15. Aboriginal heritage

- (a) Should any material suspected of being an Aboriginal relic or artefact become unearthed in the course of works which are part of the Development, the Applicant must immediately:
 - (i) cease all works impacting the suspected relic or artefact; and
 - (ii) contact the NPWS to arrange for representatives to inspect the Subject site.
- (b) The Applicant must ensure that all workers on the Subject site are made aware of the requirements of paragraph (a).

D.16. Electrical works

All electrical works must be carried out by a qualified and licensed electrical contractor and installed in accordance with the relevant Australian Standards.

D.17. Erosion and sediment control measures

During the construction phase of the Development, the Applicant must ensure that all erosion and sediment control measures (e.g. silt curtains, sediment fences, booms etc.) are:

- (a) installed and maintained in accordance with *"Managing Urban Stormwater: Soils and Construction"* (4th Edition Landcom, 2004, aka the Blue Book); and
- (b) checked regularly, and in any case after each precipitation event, to ensure they remain in good working order at all times.

D.18. Rehabilitation and site establishment

- (a) Site stabilisation and rehabilitation works must commence, as soon as possible, following the completion of each stage of work which is part of the Development to minimise exposed areas. Disturbed areas must be adequately mulched and maintained with weed free straw (i.e. straw which does not contain viable seed or other vegetative propagules) until an erosion resistant ground condition is achieved. All erosion prevention and sediment control

measures must remain in place until all exposed areas of soil are stabilised and/or revegetated.

- (b) Rehabilitation must be undertaken by the Applicant in accordance with:
 - (i) the Rehabilitation Guide; and
 - (ii) these conditions of consent.

D.19. Scaffolding

All scaffolding is to be located within the lot boundaries and must comply with AS/NZS 1576 *Scaffolding* and AS/NZS 4576 *Guidelines for Scaffolding*.

D.20. Geotechnical requirements

At all times, works associated with the development must comply with:

- (a) the Department's Geotechnical Policy; and
- (b) the Geotechnical Memorandum undertaken by Jamstone Pty Ltd (reference 16 in Condition A.2).

Works at variance to recommendations contained in the geotechnical assessment report must not be undertaken without prior written endorsement from the geotechnical engineer. Any written advice of the variation must be provided to the Principal Certifier and the Department within 48 hours.

PART E – PRIOR TO COMMENCEMENT OF USE

E.1. Occupation certificate

Prior to the occupation of the building or the commencement of use which are part of the Development, an occupation certificate must be obtained from the Principal Certifier. A copy of the occupation certificate must be furnished to the Secretary prior to the occupation of the relevant buildings or commencement of use which are part of the Development.

E.2. Site Clean Up

Prior to commencement of use which are part of the Development, the Subject site must be cleaned and made good to the satisfaction of the Principal Certifier.

E.3. Removal of site notice

Any site notices or other site information signs must be removed upon completion of the works which are part of the Development and prior to the commencement of use.

E.4. Structural certification

A structural engineer's certificate must be submitted to the Principal Certifier prior to issue of the relevant occupation certificate. This certificate is to verify that structural works which are part of the Development have been completed in accordance with approved plans and specifications and comply with the provisions of the BCA and relevant standards. A copy of the certificate is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.5. Electrical certification

Prior to the issue of the relevant occupation certificate, certification prepared and signed by an appropriately qualified electrician must be submitted to the Principal Certifier. The certificate must indicate that all electrical works which are part of the Development have been installed by a qualified and licensed electrician and installed in accordance with the relevant Australian Standards. A copy of the certificate is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.6. Fire safety certificate

Prior to the issue of the relevant occupation certificate, a fire safety certificate conforming to the Regulations must be submitted to the Principal Certifier. A copy of the fire safety certificate must be submitted to the Secretary or nominee with the copy of the occupation certificate.

E.7. Bush fire safety authority

Prior to the issue of the relevant occupation certificate, the Applicant must submit documentation to be Principal Certifier to demonstrate that the works have been undertaken in accordance with the relevant conditions of the bush fire safety authority (reference 18 in Condition A.2). A copy of the documentation is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.8. Accessibility - Building Standards

Prior to the determination of any occupation certificate, the Principal Certifier must ensure the building work which is part of the Development as complete complies with the approved supporting information per Condition B.7.

PART F – POST OCCUPATION

F.1. Annual fire safety statement

An annual fire safety statement conforming to the Regulations must be provided to the Department and the Fire and Rescue NSW every 12 months commencing within 12 months after the date on which the Department received the initial fire safety certificate for the Development.

ADVISORY NOTES

AN.1 Appeals

The Applicant has the right to appeal to the Land and Environment Court in the manner set out in the *Environmental Planning and Assessment Act, 1979* and the *Environmental Planning and Assessment Regulation, 2000* (as amended).

AN.2 Responsibility for other consents / agreements

The Applicant is solely responsible for ensuring that all additional approvals, licenses, consents and agreements are obtained from other authorities, as relevant. No condition of this consent removes any obligation to obtain, renew or comply with such additional approvals, licenses, consents and agreements.

AN.3 Other approvals and permits

The Applicant must apply to the relevant authority for all necessary permits including crane permits, road opening permits, hoarding or scaffolding permits, footpath occupation permits and/or any other approvals under Section 68 (Approvals) of the *Local Government Act, 1993* or Section 138 of the *Roads Act, 1993*.

AN.4 Utility services

- (a) The Applicant must liaise with the relevant utility authorities for electricity, gas (if relevant), water, sewage, telecommunications on the Subject site:
 - (i) to locate all service infrastructure on the Subject site; and
 - (ii) negotiate relocation and/or adjustment of any infrastructure related to these services that will be affected by the construction of the Development.
- (b) The Applicant is responsible for costs associated with relocating any services.

AN.5 Dial before you dig

Underground assets may exist in the area that is the Subject site. In the interests of health and safety and in order to prevent damage to third party assets please contact the Dial Before You Dig service at www.1100.com.au or telephone on 1100 before excavating or erecting structures (this is the law in NSW).

If alterations are required to the configuration, size, form or design of the Development upon contacting the Dial Before You Dig service, an amendment to this consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial Before You Dig service in advance of any construction or planning activities.

AN.6 Disability Discrimination Act

The Applicant has been assessed in accordance with the *Environmental Planning and Assessment Act, 1979*. No guarantee is given that the proposal complies with the *Disability Discrimination Act 1992* (Cth). The Applicant is responsible to ensure compliance with this and other anti-discrimination legislation. The *Disability Discrimination Act 1992* (Cth) covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which references AS 1428.1 - *Design for Access and Mobility*. AS 1428 Parts 2, 3 and 4 provides the most comprehensive technical guidance under the *Disability Discrimination Act 1992* (Cth) currently available in Australia.